



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/529,903

04/01/2005

Minoru Wada

268849US3PCT

5289

22850

7590

02/14/2008

OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C.
1940 DUKE STREET
ALEXANDRIA, VA 22314

EXAMINER

NORDMEYER, PATRICIA L

ART UNIT

PAPER NUMBER

1794

NOTIFICATION DATE

DELIVERY MODE

02/14/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

DETAILED ACTION

Continuation of #3: Applicant has amended independent claims 1, 11 and 13 by adding proposed new limitations “uppermost”, “lowermost”, “a first plurality of adjacent layers are disposed in a first group and have a first width, and a second plurality of adjacent layer are disposed in a second group and have a second width that is larger than the first width, and the first group is disposed closer to the core tube than is the second group”, and “being disposed in at least first and second groups, the tapes disposed within the first group having a first width, and the tapes disposed within the second group having a second width larger than the first width”, which requires a new search and/or further consideration.

Continuation of #11: The application is not placed in condition for allowance because: Applicant’s arguments are drawn to a proposed claim amendment, which is not being entered. Thus, the arguments are not commensurate in scope with the claims. Specifically, the applicant’s arguments drawn to the limitations “uppermost”, “lowermost”, “a first plurality of adjacent layers are disposed in a first group and have a first width, and a second plurality of adjacent layer are disposed in a second group and have a second width that is larger than the first width, and the first group is disposed closer to the core tube than is the second group”, and “being disposed in at least first and second groups, the tapes disposed within the first group having a first width, and the tapes disposed within the second group having a second width larger than the first width” have not been entered. Therefore, the arguments are not commensurate in scope with the claims of record. Applicant’s arguments of record are not found persuasive

Art Unit: 1794

because they rely on the non-entered amendments. Applicant is referred back to the final rejection of record mailed November 2, 2007.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia L. Nordmeyer whose telephone number is (571)272-1496. The examiner can normally be reached on Mon.-Thurs. from 10:00-7:30 & alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena L. Dye can be reached on (571) 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Patricia L. Nordmeyer
Primary Examiner
Art Unit 1794

/Patricia L. Nordmeyer/
Primary Examiner, Art Unit 1794